




EASYASSIST 200

SPEC SHEET



Attractive glowing call button when call is active

Customizable graphic overlays for on-brand / on-message display

High durability enclosure with UV stable construction

Heavy duty wall mounting brackets available

Included heavy duty 3M™ Dual Lock™ reclosable fastener strips (2" x 3")

Adjustable radio and local speaker volumes

Dimensions: 7.61" x 4.56" x 1.52"



User selectable frequencies between 450 - 470 Mhz

CTCSS and DCS full spectrum encoding

Over 100,000 sq/ft coverage (tested in obstructed warehouse)

.6 mile range

Discreet internal antenna



Menu driven LCD programming screen

Customizable local message "Someone will be with you shortly." (10 Seconds)

Customizable radio message "Assistance needed at the back door." (10 Seconds)

Customizable auxiliary radio message – Triggered from any normally open switch with auxiliary interface

Custom message repeats

Custom delays and durations

Menu programming on device or high speed PC programmer available

Interface lockable to prevent tampering



1 year AA lithium-ion batteries at 10 uses per day

6 internal AA batteries mounted in convenient battery sled

Customizable low battery message



EASY ASSIST 200HD

SPEC SHEET



Heavy duty poly carbonate enclosure

Tamper resistance

Water resistance

Attractive glowing call button when call is active

Adjustable radio and local speaker volumes

Dimensions: 8.25" x 4.75" x 2.38"



User selectable frequencies between 450- 470 Mhz

CTCSS and DCS full spectrum encoding

Over 100,000 sq/ft coverage
(tested in obstructed warehouse)

.6 mile range

Discreet internal antenna

Red, blue, green graphics available



Menu driven LCD programming screen

Customizable local message "Someone will be with you shortly." (10 seconds)

Customizable radio message "Assistance needed at the back door." (10 seconds)

Customizable radio message – Triggered from any normally open switch with auxiliary interface

Custom message repeats

Custom delays and durations

Menu programming on device or high speed PC programmer available

Interface lockable to prevent tampering



1 year C lithium-ion batteries at 10 uses per day

Uses 3 internal C lithium-ion batteries

Customizable low battery message






EASYASSIST 200HDPTT

Push to Talk

SPEC SHEET



- Clear two-way voice communication
- Push-to-talk / release-to-listen intuitive operation
- Works with Motorola™ and most business radios
- High volume output



- Heavy duty poly carbonate enclosure
- Tamper resistance
- Water resistance
- Attractive glowing call button when call is active
- Adjustable radio and local speaker volumes
- Dimensions: 8.25" x 4.75" x 2.38"
- Red, blue, green graphics available



- User selectable frequencies between 450- 470 Mhz
- CTCSS and DCS full spectrum encoding
- Over 100,000 sq/ft coverage (tested in obstructed warehouse)
- .6 mile range
- Discreet internal antenna



- Menu driven LCD programming screen
- Menu programming on device or high speed PC programmer available
- Interface lockable to prevent tampering
- Optional AC power adaptor
- Design, Manufactured, and Service in U.S.A




- 1 year C lithium-ion batteries at 10 uses per day
- Uses 3 internal C lithium-ion batteries
- Customizable low battery message





EASYASSIST HD PTT

Push to Talk



EASYASSIST HD PTT Push to Talk

Powered by AlertTech




YES, WE'RE HERE

Durable communications options make your jobsites and warehouses a more efficient place. Anything that is claiming to be durable better hold up- and EasyAssist HD PTT does. Tested in the hottest places, run over by trucks, backed into with forklifts... the EasyAssist HD PTT stands up.

The enclosure is made with rugged in mind. The mounting tabs are part of the structure and attaching the EasyAssist HD PTT to the wall is as easy as screwing it there.

Put a radio where you need it, when you need it there. Everyone in your environment is important but it's not always practical to give each of them a two-way radio. Whether it is placed in an unattended sales area or in a back room receiving area, enabling clear two-way voice communication will pay dividends.



APPLICATIONS

- Jobsite Information Board
- Shipping Dock
- Security Station
- Tool Cages
- Site Entrance
- Process Control
- Oil and Gas

Every work environment benefits from the instant communication of two-way radios, but it's not always economical or prudent to equip every employee, and in the case of visitors or customers- it's not possible. EasyAssist HD PTT is an instant resource for connecting people and places to your existing radio investment.

At the push of a button, customers who were looking for an employee are assured someone is on their way, associates are let in a locked door, a manager is called to the location, or a visitor is acknowledged. Each EasyAssist HD PTT is fully customizable to its mission without any special tools, using a best-in-class interface.

EasyAssist HD PTT can be mounted securely and permanently to any surface with our sturdy mounting hardware or attached using included 3M™ Dual Lock™ industrial fastener strips or using the robust bracket to permanently mount it. The options fit your deployment. The EasyAssist HD PTT is assembled from the highest quality components and designed with a focus on durability.

Completely wireless and compatible with any radio, each EasyAssist HD PTT is engineered to give you long-lasting functionality. EasyAssist does not require complicated installation. Just mount it to the desired surface and you've instantly improved your work environment with a sophisticated and versatile device. EasyAssist HD PTT facilitates clear communication without interruptions to further add professionalism to your workspace.



Push to Talk

EasyAssist HD PTT wireless call buttons are the best way to add functionality to your two-way radio deployment. Anywhere there are customers or employees that need to interact – **EasyAssist HD PTT is there.**

EasyAssist HD PTT is self contained, easily programmable and reprogrammable for permanent or temporary installations all over your work environment.

HOW IT WORKS

The EasyAssist HD PTT is instantly customizable by inserting graphics under its tough ABS shield.



Push-to-talk / release-to-listen
intuitive operation

On board LCD screen for easy user programming – no PC required

Red, blue, and green graphics available

Water resistant



User selectable frequencies (450 – 470 MHz)

Works with Motorola™ and most business radios

Over 100,000 sq/ft coverage (tested in obstructed warehouse)

Range: .6 mile



Uses 3 internal C lithium-ion batteries

Battery life: 1 year at 10 uses per day

Low battery radio message


Optional AC power adaptor



CTCSS and DCS full spectrum encoding

Illuminated actuator shows the unit is transmitting

Adjustable radio and local speaker volumes



Wall mount ready (with optional mounting bracket)


Pole mount ready (straps not included)

A Phillips screwdriver is the only tool you need



Designed, manufactured, and serviced in the U.S.A.

WHERE IT CAN BE USED



FUNCTION	EASYASSIST HD PTT	THE COMPETITION
Two-way communication	X	X
Direct to RF (450 - 470 MHz)	X	X
Battery operated	X	X
Long battery life	X	X
Removable battery pack	X	
Low battery message	X	X
Optional AC power adaption available	X	X
.6 mile range	X	X
Wall mount	X	
Pole mount	X	
Customizable graphics	X	
User configurable frequencies and codes (with security lock)	X	
Adjustable volume control	X	
Illuminated actuator with slow glow	X	
No special tools required	X	
Provisioning available (PC)	X	
System only transmits over clean air	X	
Designed, manufactured and serviced in the U.S.A.	X	X

...YES, WE'RE HERE